ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

District Number	Building Name	Number of Physical Restraint Incidents with Students with an IEP	Number of Seclusion Incidents with Students with an IEP	Number of Emergency Safety Intervention Incidents with Students with an IEP
D0101	Erie Elementary	<10	0	<10
D0101	Erie High School	0	0	0
D0101	Galesburg Middle School	0	0	0
D0102	Cimarron Elem	0	0	0
D0102	Cimarron High	0	0	0
D0103	Cheylin Elementary	0	0	0
D0103	Cheylin Jr/Sr High	0	0	0
D0105	Rawlins County Elementary	<10	<10	<10
D0105	Rawlins County Jr/Sr High School	0	0	0
D0106	Western Plains High	0	0	0
D0106	Western Plains North Elem	0	0	0
D0106	Western Plains South Elem/Jr High	0	0	0
D0107	Rock Hills Elementary School	<10	<10	<10
D0107	Rock Hills Jr/Sr High School	0	0	0
D0108	Washington County High School	0	0	0
D0108	Washington Elementary	0	0	0
D0109	Belleville East Elementary	<10	<10	<10
D0109	Republic County Jr./Sr. High School	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0110	Thunder Ridge Elementary	0	0	0
D0110	Thunder Ridge High School	0	0	0
D0110	Thunder Ridge Middle School	<10	<10	<10
D0111	Doniphan West Elementary School	0	0	0
D0111	Doniphan West JR/SR High School	0	0	0
D0112	Central Plains Elementary School - Holyrood	0	0	0
D0112	Central Plains Jr. Sr. High School	0	0	0
D0112	Wilson Elementary School	0	0	0
D0112	Wilson Junior/Senior High School	0	0	0
D0113	Axtell Elementary School	0	<10	<10
D0113	Axtell High	0	0	0
D0113	Sabetha Elementary School	0	0	0
D0113	Sabetha High School	0	0	0
D0113	Sabetha Middle School	0	0	0
D0113	Wetmore Elementary	0	0	0
D0113	Wetmore High	0	0	0
D0114	Riverside High School	0	0	0
D0114	Riverside Intermediate	0	0	0
D0114	Riverside Middle School	0	0	0
D0114	Riverside Primary School	0	0	0
D0114	Riverside Virtual High School	0	0	0
D0115	Nemaha Central Elementary and Middle School	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0115	Nemaha Central High School	0	0	0
D0200	Greeley County Elem School	0	0	0
D0200	Greeley County Jr./Sr. High	0	0	0
D0202	Junction Elementary	0	0	0
D0202	Midland Trail	0	0	0
D0202	Oak Grove Elem	0	0	0
D0202	Turner Elem	18	62	80
D0202	Turner High	0	0	0
D0202	Turner Middle School	0	0	0
D0202	Turner Sixth Grade Academy	0	0	0
D0203	Piper Creek Elementary	0	0	0
D0203	Piper High	0	0	0
D0203	Piper Middle	0	0	0
D0203	Piper Prairie Elementary	0	0	0
D0204	Bonner Springs Elementary	0	0	0
D0204	Bonner Springs High	0	0	0
D0204	Delaware Ridge Elementary	0	<10	<10
D0204	Edwardsville Elem	0	0	0
D0204	Robert E Clark Middle	0	0	0
D0205	Bluestem Elementary School	0	0	0
D0205	Bluestem Jr/Sr High	20	74	94
D0206	Frederic Remington High	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0206	Remington Elementary at Potwin	<10	<10	<10
D0206	Remington Middle School	0	0	0
D0207	Bradley Elem	0	0	0
D0207	Eisenhower Elem	0	0	0
D0207	MacArthur Elem	<10	<10	<10
D0207	Patton Jr High	0	0	0
D0208	Trego Community High	0	0	0
D0208	Trego Grade School	0	0	0
D0209	Moscow Elem	0	0	0
D0209	Moscow High	0	0	0
D0210	Hugoton Elem	0	0	0
D0210	Hugoton High	0	0	0
D0210	Hugoton Learning Academy	0	0	0
D0210	Hugoton Middle	0	0	0
D0211	Eisenhower Elem	0	0	0
D0211	Norton High	0	0	0
D0211	Norton Jr High	0	0	0
D0212	Almena Elem	0	0	0
D0212	Long Island Middle School	0	0	0
D0212	Northern Valley High	0	0	0
D0214	Hickok Elem	0	0	0
D0214	Kepley Middle School	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0214	Sullivan Elem	<10	0	<10
D0214	Ulysses High	<10	0	<10
D0215	Lakin Elem	0	0	0
D0215	Lakin High	0	0	0
D0215	Lakin Middle	0	0	0
D0216	Deerfield Elem	0	0	0
D0216	Deerfield High	0	0	0
D0216	Deerfield Middle School	0	0	0
D0217	Rolla Elem (PreK-5)	0	0	0
D0217	Rolla JH/HS (6-12)	0	0	0
D0218	Elkhart Elem	0	0	0
D0218	Elkhart High	0	0	0
D0218	Elkhart Middle School	0	0	0
D0218	Kansas Connections Academy	0	0	0
D0218	Point Rock Alternative	0	0	0
D0219	Minneola Elem	0	0	0
D0219	Minneola High	0	0	0
D0220	Ashland Elem	0	0	0
D0220	Ashland High	0	0	0
D0220	Ashland Junior High School	0	0	0
D0223	Hanover Elem	0	0	0
D0223	Hanover High	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0223	Linn Elem	0	0	0
D0223	Linn High	0	0	0
D0224	Clifton-Clyde Grade School K-3	0	0	0
D0224	Clifton-Clyde Middle School	0	0	0
D0224	Clifton-Clyde Sr High	0	0	0
D0225	Fowler Elem	0	0	0
D0225	Fowler High	0	0	0
D0226	Meade Elem	0	0	0
D0226	Meade High	0	0	0
D0227	Hodgeman County Elementary	0	0	0
D0227	Hodgeman County High	0	0	0
D0229	Aubry Bend Middle School	<10	<10	<10
D0229	Blue River Elementary	0	0	0
D0229	Blue Valley High	0	0	0
D0229	Blue Valley Middle	14	18	32
D0229	Blue Valley North High	77	<10	78
D0229	Blue Valley Northwest High	0	0	0
D0229	Blue Valley Southwest High School	0	<10	<10
D0229	Blue Valley West High	<10	<10	<10
D0229	Cedar Hills Elementary	0	0	0
D0229	Cottonwood Point Elementary	0	0	0
D0229	Harmony Elementary	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0229	Harmony Middle	<10	0	<10
D0229	Heartland Elementary	0	0	0
D0229	Indian Valley Elementary	<10	143	144
D0229	Lakewood Elementary	0	0	0
D0229	Lakewood Middle	<10	0	<10
D0229	Leawood Elementary	0	0	0
D0229	Leawood Middle	0	0	0
D0229	Liberty View Elementary	0	0	0
D0229	Mission Trail Elementary	0	0	0
D0229	Morse Elementary	0	0	0
D0229	Oak Hill Elementary	12	16	28
D0229	Overland Trail Elementary	0	0	0
D0229	Overland Trail Middle	38	0	38
D0229	Oxford Middle	0	0	0
D0229	Pleasant Ridge Middle	0	0	0
D0229	Prairie Star Elementary	<10	58	59
D0229	Prairie Star Middle	11	0	11
D0229	Stanley Elementary	<10	0	<10
D0229	Stilwell Elementary	0	<10	<10
D0229	Sunrise Point Elementary	0	<10	<10
D0229	Sunset Ridge Elementary	0	0	0
D0229	Timber Creek Elementary School	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0229	Valley Park Elementary	0	0	0
D0229	Wolf Springs Elementary School	<10	<10	<10
D0230	Insight School of KS at Hilltop Ed Center	0	0	0
D0230	Kansas Virtual Academy (KSVA)	0	0	0
D0230	Prairie Creek Elementary	0	<10	<10
D0230	Spring Hill Elementary School	0	17	17
D0230	Spring Hill High School	<10	0	<10
D0230	Spring Hill Middle School	<10	<10	<10
D0230	Timber Sage Elementary School	0	0	0
D0230	Wolf Creek Elementary School	18	17	35
D0230	Woodland Spring Middle School	<10	0	<10
D0231	Edgerton Elem	16	57	73
D0231	Gardner Edgerton High	<10	16	20
D0231	Gardner Elem	<10	21	26
D0231	Grand Star Elementary	<10	<10	10
D0231	Madison Elementary	<10	22	28
D0231	Moonlight Elementary School	0	0	0
D0231	Nike Elementary	0	47	47
D0231	Pioneer Ridge Middle School	0	0	0
D0231	Sunflower Elementary	0	0	0
D0231	Trail Ridge Middle School	<10	0	<10
D0231	Wheatridge Middle School	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0232	Belmont Elementary School	11	<10	20
D0232	Clear Creek Elem	0	0	0
D0232	De Soto High School	0	0	0
D0232	Horizon Elementary	<10	18	19
D0232	Lexington Trails Middle School	<10	<10	<10
D0232	Mill Creek Middle School	0	0	0
D0232	Mill Valley High School	0	0	0
D0232	Mize Elementary School	0	0	0
D0232	Monticello Trails Middle School	0	0	0
D0232	Prairie Ridge Elementary School	0	0	0
D0232	Riverview Elementary	0	<10	<10
D0232	Starside Elem	<10	<10	<10
D0233	Arbor Creek Elementary	0	0	0
D0233	Bentwood Elem	0	0	0
D0233	Black Bob Elem	0	0	0
D0233	Briarwood Elem	0	0	0
D0233	Brougham Elem	0	0	0
D0233	California Trail Middle School	<10	0	<10
D0233	Canyon Creek Elementary	<10	0	<10
D0233	Cedar Creek Elem	0	0	0
D0233	Central Elem	0	0	0
D0233	Chisholm Trail Middle School	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0233	Clearwater Creek Elementary	0	0	0
D0233	Countryside Elementary	<10	0	<10
D0233	Fairview Elem	0	0	0
D0233	Forest View Elem	17	0	17
D0233	Frontier Trail Middle School	18	0	18
D0233	Green Springs Elem	13	0	13
D0233	Havencroft Elem	<10	0	<10
D0233	Heatherstone Elem	<10	0	<10
D0233	Heritage Elementary	0	0	0
D0233	Indian Creek Elem	<10	0	<10
D0233	Indian Trail Middle School	23	<10	24
D0233	Madison Place Elementary	<10	0	<10
D0233	Mahaffie Elem	<10	0	<10
D0233	Manchester Park Elementary	0	0	0
D0233	Meadow Lane Elem	10	0	10
D0233	Millbrooke Elementary	<10	0	<10
D0233	Mission Trail Middle School	0	0	0
D0233	Northview Elem	30	0	30
D0233	Olathe East Sr High	<10	0	<10
D0233	Olathe North Sr High	<10	<10	<10
D0233	Olathe Northwest High School	0	0	0
D0233	Olathe South Sr High	<10	0	<10

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0233	Olathe West High School	0	<10	<10
D0233	Oregon Trail Middle School	<10	0	<10
D0233	Pioneer Trail Middle School	0	0	0
D0233	Pleasant Ridge Elem	0	0	0
D0233	Prairie Center Elem	0	0	0
D0233	Prairie Trail Middle School	0	0	0
D0233	Ravenwood Elementary	0	0	0
D0233	Regency Place Elementary	0	0	0
D0233	Ridgeview Elem	<10	0	<10
D0233	Rolling Ridge Elem	<10	0	<10
D0233	Santa Fe Trail Middle School	<10	<10	<10
D0233	Scarborough Elem	0	0	0
D0233	Summit Trail Middle School	<10	0	<10
D0233	Sunnyside Elementary School	82	0	82
D0233	Tomahawk Elem	31	0	31
D0233	Walnut Grove Elem	0	0	0
D0233	Washington Elem	<10	0	<10
D0233	Westview Elem	0	0	0
D0233	Woodland Elem	<10	0	<10
D0234	Eugene Ware Elem	<10	0	<10
D0234	Fort Scott Middle School	0	0	0
D0234	Fort Scott Sr High	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0234	Winfield Scott Elem	<10	<10	10
D0235	Uniontown High School	0	0	0
D0235	West Bourbon Elementary	0	0	0
D0237	Smith Center Elem	0	0	0
D0237	Smith Center Jr Sr High	0	0	0
D0239	Minneapolis Elementary	0	0	0
D0239	Minneapolis Jr-Sr High School	<10	0	<10
D0240	Bennington Elem	0	0	0
D0240	Bennington Junior High/High School	0	0	0
D0240	Tescott Elem	0	0	0
D0240	Tescott Junior High/High School	0	0	0
D0241	Sharon Springs Elem	0	0	0
D0241	Wallace County High	0	0	0
D0242	Weskan Elem	0	0	0
D0242	Weskan High	0	0	0
D0243	Lebo Elem	0	0	0
D0243	Lebo High	0	0	0
D0243	Waverly Elem	<10	0	<10
D0243	Waverly High	0	0	0
D0244	Burlington Elementary School	<10	12	18
D0244	Burlington High	0	0	0
D0244	Burlington Middle School 5 - 8	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0245	Southern Coffey County Elementary	0	0	0
D0245	Southern Coffey County High School	0	0	0
D0245	Southern Coffey County Middle School	0	0	0
D0246	North East High	0	0	0
D0246	Northeast Elem	<10	<10	13
D0247	Southeast Elementary School	0	0	0
D0247	Southeast High	0	0	0
D0247	Southeast Middle School	0	0	0
D0248	Girard High	0	0	0
D0248	Girard Middle	0	0	0
D0248	R V Haderlein Elem	<10	<10	<10
D0249	Frank Layden Elem	<10	<10	<10
D0249	Frontenac Jr. High	0	0	0
D0249	Frontenac Sr. High School	0	0	0
D0250	Geo E Nettels Elem	0	0	0
D0250	Lakeside Elem	<10	31	32
D0250	Meadowlark Elementary	0	0	0
D0250	Pittsburg High	<10	0	<10
D0250	Pittsburg Middle School	0	<10	<10
D0250	Westside Elem	0	<10	<10
D0251	NLC Elementary School	0	<10	<10
D0251	Northern Heights	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0252	Hartford Jr./Sr. High School	0	0	0
D0252	Neosho Rapids Elementary	0	0	0
D0252	Olpe Elementary	0	0	0
D0252	Olpe Jr./Sr. High School	0	0	0
D0253	Emporia High	<10	0	<10
D0253	Emporia Middle School	0	0	0
D0253	Logan Ave Elem	26	<10	34
D0253	Riverside Elementary	0	0	0
D0253	Timmerman Elementary	0	0	0
D0253	Village Elem	49	0	49
D0253	W A White Elem	0	0	0
D0253	Walnut Elem	0	0	0
D0254	Medicine Lodge Grade School	0	0	0
D0254	Medicine Lodge Jr/Sr High School	0	0	0
D0255	South Barber 7-12	0	0	0
D0255	South Barber Pre-K-6	0	0	0
D0256	Marmaton Valley Elem	0	0	0
D0256	Marmaton Valley High	0	0	0
D0257	Iola Middle School	<10	<10	<10
D0257	Iola Sr High	0	0	0
D0257	Jefferson Elem	<10	0	<10
D0257	Lincoln Elem	11	<10	12

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0257	McKinley Elem	0	<10	<10
D0258	Humboldt Elementary School	0	0	0
D0258	Humboldt High School	0	0	0
D0258	Humboldt Middle School	0	0	0
D0259	Adams Elem	0	0	0
D0259	Allen Elem	<10	0	<10
D0259	Allison Traditional Magnet Middle	0	0	0
D0259	Anderson Elem	12	<10	13
D0259	Beech Elem	0	0	0
D0259	Benton Elem	0	0	0
D0259	Black Traditional Magnet Elem	0	0	0
D0259	Bostic Traditional Magnet Elem	0	0	0
D0259	Brooks Magnet Middle School	0	0	0
D0259	Bryant Opportunity Academy	<10	46	54
D0259	Buckner Performing Arts Magnet Elem	0	0	0
D0259	Caldwell Elem	<10	0	<10
D0259	Cessna Elem	<10	<10	<10
D0259	Chisholm Life Skills Center	0	0	0
D0259	Chisholm Trail Elem	<10	0	<10
D0259	Christa McAuliffe Academy	0	0	0
D0259	Clark Elem	0	0	0
D0259	Cleaveland Traditional Magnet Elementary	38	0	38

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0259	Cloud Elem	0	0	0
D0259	Coleman Middle School	0	0	0
D0259	College Hill Elem	0	0	0
D0259	Colvin Elem	0	0	0
D0259	Curtis Middle School	0	0	0
D0259	Dodge Literacy Magnet	0	0	0
D0259	Earhart Environ Magnet Elem	0	0	0
D0259	East High	<10	0	<10
D0259	Education Imagine Academy	0	0	0
D0259	Enders STEM and Leadership Magnet	<10	22	26
D0259	Enterprise Elem	12	86	98
D0259	Franklin Elem	0	0	0
D0259	Gammon Elem	<10	<10	13
D0259	Gardiner Elem	<10	0	<10
D0259	Gordon Parks Academy	0	0	0
D0259	Greiffenstein Alternative Elementary	63	372	435
D0259	Griffith Elem	0	0	0
D0259	Hadley Middle School	0	0	0
D0259	Hamilton Middle School	0	0	0
D0259	Harry Street Elem	0	0	0
D0259	Heights High	<10	0	<10
D0259	Horace Mann Dual Language Magnet	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0259	Hyde Intl Studies/Commun Elem Magnet	0	0	0
D0259	Irving Elementary	0	0	0
D0259	Isely Traditional Magnet Elem	0	0	0
D0259	Jackson Elementary	0	0	0
D0259	Jardine Technology Middle Magnet	0	0	0
D0259	Jefferson Elem	0	0	0
D0259	Kelly Liberal Arts Academy	0	0	0
D0259	Kensler Elem	0	0	0
D0259	L'Ouverture Computer Technology Magnet	<10	0	<10
D0259	Lawrence Elem	<10	0	<10
D0259	Levy Sp Ed Center	<10	28	34
D0259	Linwood Elementary	0	0	0
D0259	Marshall Middle School	0	0	0
D0259	Mayberry Cultural and Fine Arts Magnet Middle	0	0	0
D0259	McCollom Elem	0	0	0
D0259	McLean Science/Tech Magnet Elem	<10	0	<10
D0259	Mead Middle School	0	0	0
D0259	Minneha Core Knowledge Elem	0	0	0
D0259	Mueller Aerospace/Engineering Discovery Magne	<10	0	<10
D0259	North High	0	0	0
D0259	Northeast Magnet High School	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0259	Northwest High	<10	0	<10
D0259	O K Elem	11	0	11
D0259	Ortiz Elementary School	<10	0	<10
D0259	Park Elementary	0	0	0
D0259	Payne Elem	<10	<10	<10
D0259	Peterson Elem	<10	0	<10
D0259	Pleasant Valley Elem	<10	0	<10
D0259	Pleasant Valley Middle School	<10	0	<10
D0259	Price-Harris Communications Magnet	0	0	0
D0259	Riverside Leadership Magnet Elementary	0	0	0
D0259	Robinson Middle School	0	0	0
D0259	Seltzer Elem	0	0	0
D0259	South High	<10	0	<10
D0259	Southeast High	<10	0	<10
D0259	Sowers Alternative High School	<10	<10	10
D0259	Spaght Multimedia Magnet	0	0	0
D0259	Stanley Elem	0	0	0
D0259	Stucky Middle School	<10	0	<10
D0259	Truesdell Middle School	0	0	0
D0259	Washington Accelerated Learning Elem	0	0	0
D0259	Wells Alternative Middle School	0	18	18

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0259	West High	0	0	0
D0259	White Elem	<10	0	<10
D0259	Wichita Alternative High	0	0	0
D0259	Wichita Learning Center	0	0	0
D0259	Wilbur Middle School	<10	0	<10
D0259	Woodland Health / Wellness Magnet Elem	0	0	0
D0259	Woodman Elem	0	0	0
D0260	Derby High School	14	<10	15
D0260	Derby Hills Elem	<10	0	<10
D0260	Derby Middle Sch	<10	0	<10
D0260	Derby North Middle School	<10	0	<10
D0260	El Paso Elem	<10	<10	<10
D0260	Oaklawn Elem	26	<10	30
D0260	Park Hill Elementary	<10	0	<10
D0260	Paul B Cooper Elem	0	0	0
D0260	Stone Creek Elementary	0	0	0
D0260	Swaney Elem	<10	0	<10
D0260	Tanglewood Elem	49	<10	52
D0260	Wineteer Elem	<10	<10	<10
D0261	Campus High Haysville	<10	0	<10
D0261	Freeman Elem	0	0	0
D0261	Haysville Middle School	<10	0	<10

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0261	Haysville West Middle School	0	0	0
D0261	Nelson Elem	<10	0	<10
D0261	Oatville Elem	70	0	70
D0261	Prairie Elementary School	0	0	0
D0261	Rex Elem	<10	0	<10
D0261	Ruth Clark Elementary K-5	0	0	0
D0262	Abilene Elem	0	0	0
D0262	The Learning Center	0	0	0
D0262	Valley Center High	<10	0	<10
D0262	Valley Center Intermediate School	<10	0	<10
D0262	Valley Center Middle School	<10	11	14
D0262	West Elem	<10	0	<10
D0262	Wheatland Elem	0	0	0
D0263	Mulvane Elem W D Munson	0	0	0
D0263	Mulvane Grade School	<10	0	<10
D0263	Mulvane High	0	0	0
D0263	Mulvane Middle School	0	0	0
D0264	Clearwater Elementary West	<10	0	<10
D0264	Clearwater High	0	0	0
D0264	Clearwater Intermediate - Middle School	<10	<10	<10
D0265	Amelia Earhart Elementary School	<10	0	<10
D0265	Apollo Elementary School	<10	0	<10

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0265	Challenger Intermediate School	<10	18	26
D0265	Clark Davidson Elem	<10	0	<10
D0265	Discovery Intermediate School	<10	<10	10
D0265	Dwight D. Eisenhower Middle School	0	0	0
D0265	Eisenhower High School	<10	<10	12
D0265	Explorer Elementary School	<10	0	<10
D0265	Goddard High	<10	<10	10
D0265	Goddard Middle School	10	0	10
D0265	Oak Street Elementary School K-4	33	<10	34
D0266	Maize Central Elementary	25	19	44
D0266	Maize Elementary	<10	0	<10
D0266	Maize Middle School	26	0	26
D0266	Maize South Elementary	31	16	47
D0266	Maize South High School	15	<10	16
D0266	Maize South Middle School	0	0	0
D0266	Maize Sr High	38	18	56
D0266	Maize Virtual Preparatory School	0	0	0
D0266	Pray-Woodman Elementary	14	29	43
D0266	Vermillion Elementary School	23	<10	29
D0267	Andale Elem-Middle	0	0	0
D0267	Andale High	0	0	0
D0267	Colwich Elem	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0267	Garden Plain Elem	<10	0	<10
D0267	Garden Plain High	0	0	0
D0267	St. Marks School	<10	<10	<10
D0268	Cheney Elem	<10	0	<10
D0268	Cheney High	<10	0	<10
D0268	Cheney Middle School 6-8	0	0	0
D0269	Damar Elementary School	0	0	0
D0269	Palco High	0	0	0
D0269	Palco Jr. High	0	0	0
D0270	Plainville Elem	<10	30	31
D0270	Plainville High	0	0	0
D0271	Stockton Elem	<10	<10	<10
D0271	Stockton High	0	0	0
D0272	Lakeside Elementary	0	0	0
D0272	Lakeside Junior/Senior High School	0	0	0
D0272	Tipton Community School	0	0	0
D0273	Beloit Elem	<10	0	<10
D0273	Beloit Jr-Sr High	0	0	0
D0274	Oakley Elem	0	0	0
D0274	Oakley Middle School	0	0	0
D0274	Oakley Sr High	0	0	0
D0275	Winona Elem	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0275	Winona High	0	0	0
D0281	Hill City Elem	<10	0	<10
D0281	Hill City Junior-Senior High	0	0	0
D0282	West Elk Schools	0	0	0
D0283	Elk Valley Elementary	0	0	0
D0283	Elk Valley High School	0	0	0
D0284	Chase County Elementary School	0	0	0
D0284	Chase County Junior Senior High School	<10	0	<10
D0285	Cedar Vale Elem	0	0	0
D0285	Cedar Vale High	0	0	0
D0286	Sedan Elem	0	0	0
D0286	Sedan High	0	0	0
D0287	Appanoose Elementary School	0	0	0
D0287	West Franklin High School	0	0	0
D0287	West Franklin Middle School	0	0	0
D0287	Williamsburg Elementary School	0	0	0
D0288	Central Heights Elem	0	0	0
D0288	Central Heights High	0	0	0
D0289	Wellsville Elem	28	29	57
D0289	Wellsville High	0	0	0
D0289	Wellsville Middle School	0	0	0
D0290	Garfield Elem	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0290	Lincoln Elem	0	<10	<10
D0290	Ottawa Middle School	<10	0	<10
D0290	Ottawa Sr High	<10	0	<10
D0290	Sunflower Elementary School	0	<10	<10
D0291	Grinnell Grade School	0	0	0
D0291	Grinnell Middle School	0	0	0
D0292	Wheatland Elementary School	0	0	0
D0292	Wheatland High School	0	0	0
D0293	Quinter Elem	<10	0	<10
D0293	Quinter Jr-Sr High	0	0	0
D0294	Decatur Community Jr/Sr High	0	0	0
D0294	Oberlin Elem	0	0	0
D0297	St Francis Elem	0	0	0
D0297	St Francis High	0	0	0
D0298	Lincoln Elem	0	0	0
D0298	Lincoln Jr/Sr High	0	0	0
D0299	Lucas/Sylvan Elementary Unified	0	0	0
D0299	Sylvan-Lucas Unified Jr. sr	0	0	0
D0300	South Central Elementary School	0	0	0
D0300	South Central High School	0	0	0
D0300	South Central Middle School	0	0	0
D0303	Ness City Elem	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0303	Ness City High	0	0	0
D0305	Coronado Elem	<10	0	<10
D0305	Cottonwood Elementary School	28	54	82
D0305	Heusner Elem	15	61	76
D0305	Lakewood Middle School	<10	<10	<10
D0305	Meadowlark Ridge Elem	15	67	82
D0305	Oakdale Elem	11	66	77
D0305	Salina High Central	0	0	0
D0305	Salina High South	0	0	0
D0305	Salina South Middle	19	133	152
D0305	Schilling Elem	<10	11	15
D0305	Stewart Elem	34	23	57
D0305	Sunset Elem	50	122	172
D0306	Southeast Saline Elem	0	15	15
D0306	Southeast Saline High	0	0	0
D0307	Ell-Saline Elementary	0	<10	<10
D0307	Ell-Saline Middle/High School	0	0	0
D0308	Faris Elementary	0	0	0
D0308	Graber Elementary	0	<10	<10
D0308	Hutchinson High School	0	0	0
D0308	Hutchinson Magnet School at Allen	0	0	0
D0308	Hutchinson Middle School 7	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0308	Hutchinson Middle School 8	0	0	0
D0308	Lincoln Elementary School	0	0	0
D0308	McCandless Elementary	0	0	0
D0308	Morgan Elementary	0	0	0
D0308	Wiley Elementary	0	12	12
D0309	Central State Academy	0	0	0
D0309	Nickerson Elem	<10	0	<10
D0309	Nickerson High	0	0	0
D0309	Reno Valley Middle School	0	0	0
D0309	South Hutchinson Elem	0	0	0
D0310	Fairfield Schools	0	0	0
D0311	Pretty Prairie Elem	0	0	0
D0311	Pretty Prairie High	0	0	0
D0311	Pretty Prairie Middle	0	0	0
D0312	Haven Elem	<10	<10	<10
D0312	Haven High	0	0	0
D0312	Haven Middle School	0	0	0
D0312	Haven Virtual Academy	0	0	0
D0312	Yoder Charter Elem School	0	0	0
D0313	Buhler Elem	<10	0	<10
D0313	Buhler High	0	0	0
D0313	Plum Creek Elementary	<10	0	<10

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0313	Prairie Hills Middle	0	0	0
D0313	Union Valley Elem	<10	0	<10
D0314	Brewster Elem	0	0	0
D0314	Brewster High	0	0	0
D0315	Colby Elem	0	0	0
D0315	Colby Middle School	0	0	0
D0315	Colby Senior High	0	0	0
D0316	Golden Plains Elem	0	0	0
D0316	Golden Plains High	0	0	0
D0316	Golden Plains Middle	0	0	0
D0320	Central Elem	11	<10	20
D0320	Wamego High	0	0	0
D0320	Wamego Middle School	<10	<10	<10
D0320	West Elem	<10	0	<10
D0321	Rossville Elem	0	0	0
D0321	Rossville Jr.-Sr. High School	0	0	0
D0321	St Marys Elem	<10	30	31
D0321	St. Marys Junior Senior High	0	0	0
D0322	Onaga Elem	0	0	0
D0322	Onaga Senior High	0	0	0
D0323	Rock Creek High School	0	0	0
D0323	Rock Creek Middle School	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0323	St George Elem	12	22	34
D0323	Westmoreland Elem	0	0	0
D0325	Phillipsburg Elem	0	<10	<10
D0325	Phillipsburg High	0	0	0
D0325	Phillipsburg Middle	<10	0	<10
D0326	Logan Elem	0	0	0
D0326	Logan High	0	0	0
D0327	Ellsworth Elem	<10	48	56
D0327	Ellsworth High	0	0	0
D0327	Kanopolis Middle	0	0	0
D0329	Alma Elementary School	<10	0	<10
D0329	Maple Hill Elem	<10	<10	<10
D0329	Paxico Middle School	0	0	0
D0329	Wabaunsee Junior High	0	0	0
D0329	Wabaunsee Sr High	0	0	0
D0330	Mission Valley Elementary	<10	<10	14
D0330	Mission Valley Junior and Senior High School	0	0	0
D0331	Kingman Elementary School	0	<10	<10
D0331	Kingman High	0	0	0
D0331	Kingman Middle School	0	0	0
D0331	Norwich Elementary School	0	0	0
D0331	Norwich High	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0331	Norwich Middle School	0	0	0
D0331	USD 331 Virtual School	0	0	0
D0332	Cunningham Elem	0	0	0
D0332	Cunningham High	0	0	0
D0333	Concordia Elementary	24	66	90
D0333	Concordia Jr-Sr High	0	0	0
D0333	Concordia Middle	0	0	0
D0334	Glasco Elem	0	0	0
D0334	Glasco High	0	0	0
D0334	Miltonvale Elem	0	0	0
D0334	Miltonvale High	0	0	0
D0335	Jackson Heights Elementary School	0	0	0
D0335	Jackson Heights High School and Middle School	0	0	0
D0336	Holton Elementary School	<10	0	<10
D0336	Holton High	0	0	0
D0336	Holton Middle	0	0	0
D0337	Royal Valley Elementary	<10	0	<10
D0337	Royal Valley High	0	0	0
D0337	Royal Valley Middle School	<10	0	<10
D0338	Valley Falls Elem	<10	0	<10
D0338	Valley Falls High	0	0	0
D0339	Jefferson Co North High	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0339	Jefferson County North Elem/Middle	0	0	0
D0340	Jefferson West Elementary School	0	0	0
D0340	Jefferson West High	0	0	0
D0340	Jefferson West Middle	0	0	0
D0341	Oskaloosa Elem	0	0	0
D0341	Oskaloosa JR-SR High School	0	0	0
D0342	McLouth Elem	0	0	0
D0342	McLouth High	0	0	0
D0342	McLouth Middle	0	0	0
D0343	Lecompton Elem	<10	0	<10
D0343	Perry Lecompton High	0	0	0
D0343	Perry-Lecompton Middle	0	0	0
D0344	Pleasanton Elem	0	0	0
D0344	Pleasanton High	0	0	0
D0345	Elmont Elem	0	0	0
D0345	Logan Elementary	<10	104	106
D0345	North Fairview	<10	15	23
D0345	Northern Hills Elementary	<10	0	<10
D0345	Seaman High	0	0	0
D0345	Seaman Middle School	<10	0	<10
D0345	West Indianola Elem	0	0	0
D0346	Jayhawk Elementary	<10	<10	<10

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0346	Jayhawk-Linn High	<10	0	<10
D0347	Kinsley Jr/Sr High School	0	0	0
D0347	Kinsley-Offerle Elementary Pre-K-5	<10	0	<10
D0348	Baldwin Elementary Intermediate Center	<10	<10	11
D0348	Baldwin Elementary Primary Center	0	0	0
D0348	Baldwin High School	0	0	0
D0348	Baldwin Junior High School	0	0	0
D0349	Stafford Elementary	0	0	0
D0349	Stafford Middle School/High School	0	0	0
D0350	St John Elem	0	0	0
D0350	St John High	0	0	0
D0351	Macksville Elem	0	0	0
D0351	Macksville High	0	0	0
D0352	Goodland Jr-Sr. High School	0	0	0
D0352	North Elementary	0	0	0
D0352	West Elementary	<10	0	<10
D0353	Eisenhower Elem	0	0	0
D0353	Kennedy Elem	<10	<10	<10
D0353	Lincoln Elem	<10	<10	<10
D0353	Washington Elem	0	0	0
D0353	Wellington High School	0	<10	<10
D0353	Wellington Middle School	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0355	Ellinwood Middle School	0	0	0
D0355	Ellinwood Elem	0	0	0
D0355	Ellinwood High	0	0	0
D0356	Conway Springs High School	0	0	0
D0356	Conway Springs Kyle Trueblood	0	0	0
D0356	Conway Springs Middle School	0	0	0
D0357	Belle Plaine Elem	17	18	35
D0357	Belle Plaine High	0	0	0
D0357	Belle Plaine Middle	0	0	0
D0358	Oxford Elem	0	0	0
D0358	Oxford Jr/Sr High	12	<10	13
D0359	Argonia Elem	<10	<10	<10
D0359	Argonia High	0	0	0
D0360	Caldwell Elem	<10	0	<10
D0360	Caldwell Secondary School	0	0	0
D0361	Anthony Elem	0	0	0
D0361	Chaparral Jr/Sr High	<10	0	<10
D0361	Harper Elem	0	0	0
D0362	Lacygne Elem	0	0	0
D0362	Parker Elem	0	<10	<10
D0362	Prairie View High	0	0	0
D0362	Prairie View Middle	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0363	Holcomb Elem 3-5	0	0	0
D0363	Holcomb High	<10	0	<10
D0363	Holcomb Middle	0	0	0
D0363	Wiley Elem	0	0	0
D0364	Marysville Elem	0	0	0
D0364	Marysville Jr/Sr High	0	<10	<10
D0365	Anderson County Jr/Sr High School	0	0	0
D0365	Garnett Elementary School	0	0	0
D0365	Greeley Elem	0	0	0
D0365	Westphalia	0	0	0
D0366	Yates Center Elem	0	0	0
D0366	Yates Center High	0	0	0
D0367	Osawatomie High	0	0	0
D0367	Osawatomie Middle School	0	0	0
D0367	Swenson Early Childhood Education Center	21	0	21
D0367	Trojan Elem	<10	<10	<10
D0368	Cottonwood Elem	0	<10	<10
D0368	Paola High	<10	0	<10
D0368	Paola Middle	0	0	0
D0368	Sunflower Elem	0	14	14
D0369	Burrton Elem	<10	0	<10
D0369	Burrton MS/HS	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0371	Montezuma Elem	0	0	0
D0371	South Gray High	0	0	0
D0372	Silver Lake Elem	0	18	18
D0372	Silver Lake Jr-Sr High	0	0	0
D0373	Chisholm Middle School	11	<10	15
D0373	Newton Sr High	<10	<10	10
D0373	Northridge Elementary	<10	<10	<10
D0373	Opportunity Academy	0	0	0
D0373	Santa Fe 5/6 Center	0	0	0
D0373	Slate Creek Elementary	16	<10	18
D0373	South Breeze Elementary	0	0	0
D0373	Sunset Elementary	<10	17	18
D0373	Walton Rural Life Center	<10	<10	<10
D0374	Sublette Elem	0	0	0
D0374	Sublette High	0	0	0
D0374	Sublette Middle	0	0	0
D0375	Circle Benton Elementary	0	0	0
D0375	Circle Greenwich Elementary	13	<10	20
D0375	Circle High	0	0	0
D0375	Circle Middle School	0	0	0
D0375	Circle Oil Hill Elementary	0	0	0
D0375	Circle Towanda Elementary	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0376	Sterling Grade School	0	0	0
D0376	Sterling Junior High/Senior High	<10	0	<10
D0377	Atchison County Community Elementary School	<10	0	<10
D0377	Atchison County Community JR/SR High	0	0	0
D0378	Riley County Grade School	0	0	0
D0378	Riley County High School	<10	0	<10
D0379	Clay Center Community High	0	0	0
D0379	Clay Center Community Middle	0	0	0
D0379	Garfield Elem	0	0	0
D0379	Lincoln Elem	0	0	0
D0379	Wakefield Elem	0	0	0
D0379	Wakefield High	0	0	0
D0380	Centralia Elem	<10	0	<10
D0380	Centralia High	0	0	0
D0380	Frankfort Elem	0	0	0
D0380	Frankfort High	0	0	0
D0381	Spearville Elem	0	0	0
D0381	Spearville Jr/Sr High	0	0	0
D0382	Liberty Middle School	<10	0	<10
D0382	Pratt Sr High	0	0	0
D0382	Southwest Elem	<10	<10	10
D0383	Amanda Arnold Elem	12	16	28

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0383	Bluemont Elementary School	0	<10	<10
D0383	Dwight D Eisenhower Middle School	0	0	0
D0383	Frank V Bergman Elem	73	39	112
D0383	Lee Elem	<10	18	23
D0383	Manhattan High School West/East Campus	<10	0	<10
D0383	Marlatt Elem	0	0	0
D0383	Northview Elem	<10	10	12
D0383	Ogden Elem	<10	0	<10
D0383	Susan B Anthony Middle School	<10	<10	<10
D0383	Theo Roosevelt Elem	<10	32	36
D0383	Woodrow Wilson Elem	<10	<10	<10
D0384	Blue Valley High	0	0	0
D0384	McCormick Elementary	0	0	0
D0384	Randolph Middle	0	0	0
D0385	Andover Central High School	<10	0	<10
D0385	Andover Central Middle School	0	0	0
D0385	Andover eCademy	0	0	0
D0385	Andover High	<10	0	<10
D0385	Andover Middle School	<10	0	<10
D0385	Cottonwood Elementary	0	0	0
D0385	Meadowlark Elementary	0	0	0
D0385	Prairie Creek Elementary	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0385	Robert M. Martin Elementary	13	<10	21
D0385	Sunflower Elementary School	0	0	0
D0385	Wheatland Elementary	0	0	0
D0386	Madison Elem	0	0	0
D0386	Madison High	0	0	0
D0387	Altoona-Midway Elementary	<10	0	<10
D0387	Altoona-Midway Middle/High School	0	0	0
D0388	Ellis Jr/Sr High	0	0	0
D0388	Washington Elem	0	0	0
D0389	Eureka Jr/Sr High	0	0	0
D0389	Marshall Elementary School	<10	0	<10
D0390	Hamilton Elem	0	0	0
D0390	Hamilton High	0	0	0
D0392	Osborne Elem	0	0	0
D0392	Osborne Junior/Senior High	0	0	0
D0393	Solomon Elem	0	0	0
D0393	Solomon High	0	0	0
D0394	Rose Hill High	0	0	0
D0394	Rose Hill Intermediate	<10	0	<10
D0394	Rose Hill Middle	0	0	0
D0394	Rose Hill Primary	0	0	0
D0395	La Crosse Elementary	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0395	La Crosse High	0	0	0
D0395	La Crosse Middle School	0	0	0
D0396	Douglass High	0	0	0
D0396	Leonard C Seal Elem	0	<10	<10
D0396	Marvin Sisk Middle School	0	0	0
D0397	Centre	0	0	0
D0398	Peabody-Burns Elementary	<10	<10	<10
D0398	Peabody-Burns Jr/Sr High School	0	0	0
D0399	Natoma Elem	0	0	0
D0399	Natoma High (6-12)	0	0	0
D0400	Smoky Valley High	0	0	0
D0400	Smoky Valley Middle School	<10	0	<10
D0400	Smoky Valley Virtual Charter School	0	0	0
D0400	Soderstrom Elem	0	0	0
D0401	Chase Elem	0	0	0
D0401	Chase High	0	0	0
D0401	Raymond Jr High	0	0	0
D0402	Augusta Middle School	<10	<10	<10
D0402	Augusta Sr High	0	0	0
D0402	Ewalt Elementary	<10	<10	10
D0402	Garfield Elem	<10	0	<10
D0402	Lincoln Elem	<10	0	<10

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0402	Robinson Elem	0	0	0
D0403	Otis-Bison Elementary	0	0	0
D0403	Otis-Bison Junior/Senior High School	0	0	0
D0403	SouthWinds Academy	0	0	0
D0404	Riverton Elem	<10	0	<10
D0404	Riverton High	<10	<10	<10
D0404	Riverton Middle	0	0	0
D0405	Lyons Central Elementary	0	0	0
D0405	Lyons High School	0	0	0
D0405	Lyons Middle School	0	0	0
D0405	Lyons Park Elementary	<10	<10	<10
D0407	Bickerdyke Elem	0	0	0
D0407	Ruppenthal Middle	0	0	0
D0407	Russell High	0	0	0
D0407	Simpson Elem	0	0	0
D0408	Marion Elem	<10	0	<10
D0408	Marion High	0	0	0
D0408	Marion Middle	0	0	0
D0409	Atchison Elementary School	<10	86	88
D0409	Atchison High School	0	0	0
D0409	Atchison Middle School	0	<10	<10
D0409	Central School	0	<10	<10

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0410	Hillsboro Elem	<10	<10	12
D0410	Hillsboro Middle/High School	0	0	0
D0411	Goessel Elem	0	0	0
D0411	Goessel High	0	0	0
D0412	Hoxie Elem	0	0	0
D0412	Hoxie High	0	0	0
D0413	Chanute Elementary School	<10	43	46
D0413	Chanute High	0	0	0
D0413	Royster Middle School	<10	<10	<10
D0415	Hiawatha Elem	0	0	0
D0415	Hiawatha Middle School	0	0	0
D0415	Hiawatha Sr High	0	0	0
D0416	Broadmoor Elementary	0	<10	<10
D0416	Louisburg High	0	0	0
D0416	Louisburg Middle	0	0	0
D0416	Rockville Elementary School	<10	<10	11
D0417	Council Grove Elementary School	11	<10	18
D0417	Council Grove Junior Senior High School	0	0	0
D0417	Prairie Heights Elementary School	34	21	55
D0418	Eisenhower Elementary	0	0	0
D0418	Lincoln Elem	<10	17	22
D0418	McPherson High	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0418	McPherson Middle School	<10	15	20
D0418	Roosevelt Elem	0	0	0
D0418	Washington Elem	0	0	0
D0419	Canton-Galva Elementary	0	0	0
D0419	Canton-Galva Jr./Sr. High	0	0	0
D0420	Osage City Elem	0	<10	<10
D0420	Osage City High	0	0	0
D0420	Osage City Middle School	0	0	0
D0421	Lyndon Elem	0	0	0
D0421	Lyndon High	0	0	0
D0422	21st Century Learning Academy/Kiowa County	0	0	0
D0422	Kiowa County Elem/Jr. High	0	0	0
D0422	Kiowa County High School	0	0	0
D0423	Moundridge Elem	<10	0	<10
D0423	Moundridge High	0	0	0
D0423	Moundridge Middle	0	0	0
D0426	Pike Valley Elem	73	11	84
D0426	Pike Valley High	0	0	0
D0426	Pike Valley Jr High	0	0	0
D0428	Eisenhower Elem	0	10	10
D0428	Great Bend High School	0	0	0
D0428	Great Bend Middle School	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0428	Jefferson Elem	0	0	0
D0428	Lincoln Elem	0	0	0
D0428	Park Elem	0	0	0
D0428	Riley Elem	0	<10	<10
D0429	Troy Elem	0	0	0
D0429	Troy High and Middle School	0	0	0
D0430	Everest Middle	0	0	0
D0430	Horton Elem	0	<10	<10
D0430	Horton High	0	0	0
D0431	Hoisington High	0	0	0
D0431	Hoisington Middle	0	0	0
D0431	Lincoln Elementary	0	0	0
D0431	Roosevelt Elementary	<10	0	<10
D0432	Victoria Elementary	<10	0	<10
D0432	Victoria Junior-Senior High School	0	0	0
D0434	Carbondale Attendance Center	0	0	0
D0434	Overbrook Attendance Center	0	120	120
D0434	Santa Fe Trail High	0	0	0
D0435	Abilene High School	0	0	0
D0435	Abilene Middle School	0	0	0
D0435	Dwight D. Eisenhower Elementary	0	0	0
D0435	Kennedy Elem	<10	<10	<10

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0435	McKinley Elem	<10	<10	10
D0436	Caney Valley Charter Academy	0	0	0
D0436	Caney Valley High	0	0	0
D0436	Lincoln Memorial Elem	<10	<10	<10
D0437	Auburn Elementary	0	26	26
D0437	Farley Elementary	0	32	32
D0437	Indian Hills Elementary	0	0	0
D0437	Jay Shideler Elementary	<10	0	<10
D0437	Pauline Central Primary	19	25	44
D0437	Pauline South Intermediate	<10	<10	<10
D0437	Wanamaker Elem	0	<10	<10
D0437	Washburn Rural High	<10	0	<10
D0437	Washburn Rural Middle School	<10	11	15
D0438	Skyline Elem	0	0	0
D0438	Skyline High	0	0	0
D0439	R L Wright Elem	<10	<10	11
D0439	Sedgwick High	0	0	0
D0440	Bentley Primary School	0	0	0
D0440	Halstead High	0	0	0
D0440	Halstead Middle School	0	0	0
D0443	Beeson Elementary	<10	0	<10
D0443	Central Elem	<10	0	<10

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0443	Comanche Middle School	<10	<10	<10
D0443	Dodge City High School	0	0	0
D0443	Dodge City Middle School	0	<10	<10
D0443	Linn Elementary	0	0	0
D0443	Miller Elem	<10	0	<10
D0443	Northwest Elem	0	0	0
D0443	Ross Elementary School	<10	0	<10
D0443	Soule Elementary School	0	0	0
D0443	Sunnyside Elem	0	<10	<10
D0443	Wilroads Gardens Elem	0	0	0
D0444	Little River High	0	0	0
D0444	Little River Junior High	0	0	0
D0444	Windom Elem	0	0	0
D0445	Community Elementary	<10	41	45
D0445	Field Kindley High	0	0	0
D0445	Roosevelt Middle	0	0	0
D0446	Eisenhower Elem	0	0	0
D0446	Independence Middle	<10	<10	<10
D0446	Independence Sr High	0	0	0
D0446	Jefferson School	<10	25	30
D0447	Cherryvale Sr / Middle School	0	0	0
D0447	Lincoln Central Elem	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0447	Thayer Schools	0	0	0
D0448	Inman Elem	0	0	0
D0448	Inman Jr/Sr High School	0	0	0
D0449	Pleasant Ridge Elementary	0	0	0
D0449	Pleasant Ridge High	0	0	0
D0449	Pleasant Ridge Middle	0	0	0
D0450	Berryton Elem	0	24	24
D0450	Shawnee Heights Elem	<10	29	33
D0450	Shawnee Heights High	0	0	0
D0450	Shawnee Heights Middle	0	0	0
D0450	Tecumseh North Elem	0	17	17
D0450	Tecumseh South Elem	<10	<10	10
D0452	Stanton County Elementary	0	0	0
D0452	Stanton County Jr./Sr. High School	0	0	0
D0453	Anthony Elementary	0	0	0
D0453	David Brewer Elementary	<10	11	16
D0453	Henry Leavenworth	<10	<10	<10
D0453	Leavenworth Sr High	0	0	0
D0453	Leavenworth Virtual School	0	0	0
D0453	Richard Warren Intermediate School	0	<10	<10
D0453	Richard Warren Middle School	0	<10	<10
D0454	Burlingame Elementary	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0454	Burlingame Junior/Senior High	0	0	0
D0456	Marais Des Cygnes Valley Elem	0	0	0
D0456	Marais Des Cygnes Valley High	0	0	0
D0456	Marais Des Cygnes Valley Middle	0	0	0
D0457	Abe Hubert Elementary School	0	0	0
D0457	Alta Brown Elem	<10	0	<10
D0457	Bernadine Sitts Intermediate Ctr	0	0	0
D0457	Buffalo Jones Elem	0	0	0
D0457	Charles O Stones Intermediate Ctr	0	0	0
D0457	Edith Scheuerman Elem	0	0	0
D0457	Florence Wilson Elem	<10	0	<10
D0457	Garden City High School	0	0	0
D0457	GC Achieve at J.D. Adams Hall	<10	0	<10
D0457	Georgia Matthews Elem	0	0	0
D0457	Gertrude Walker Elem	0	0	0
D0457	Horace J. Good Middle School	0	0	0
D0457	Jennie Barker Elem	0	0	0
D0457	Jennie Wilson Elem	<10	0	<10
D0457	Kenneth Henderson Middle	0	0	0
D0457	Plymell Elementary	0	0	0
D0457	Victor Ornelas Elem	<10	0	<10
D0458	Basehor Elementary School	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0458	Basehor-Linwood High School	0	0	0
D0458	Basehor-Linwood Middle School	0	0	0
D0458	Glenwood Ridge Elementary School	0	<10	<10
D0458	Linwood Elementary School	0	0	0
D0459	Bucklin Elem	0	<10	<10
D0459	Bucklin High	0	0	0
D0460	Hesston Elem	0	0	0
D0460	Hesston High	0	0	0
D0460	Hesston Middle	0	0	0
D0461	Heller Elem	0	0	0
D0461	Neodesha High	0	0	0
D0461	North Lawn Elem	<10	<10	<10
D0462	Central Elem	<10	0	<10
D0462	Central Jr-Sr High	<10	0	<10
D0463	Udall Elem	<10	0	<10
D0463	Udall High	0	0	0
D0463	Udall Middle School	0	0	0
D0464	Tonganoxie Elem	<10	<10	<10
D0464	Tonganoxie High	<10	0	<10
D0464	Tonganoxie Middle School	0	0	0
D0465	Country View Elem	<10	0	<10
D0465	Irving Elem	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0465	Lowell Elem	<10	0	<10
D0465	Whittier Elem	0	0	0
D0465	Winfield High	0	0	0
D0465	Winfield Middle School	<10	0	<10
D0466	Scott City High	0	0	0
D0466	Scott City Lower Elem	0	0	0
D0466	Scott City Middle	0	0	0
D0467	Wichita County Elementary	0	0	0
D0467	Wichita County Junior-Senior High School	0	0	0
D0468	Healy Elem	0	0	0
D0468	Healy High	0	0	0
D0469	Lansing Elementary School	12	0	12
D0469	Lansing High 9-12	<10	0	<10
D0469	Lansing Intermediate School	0	0	0
D0469	Lansing Middle 6-8	0	0	0
D0470	Adams Elem	0	0	0
D0470	Arkansas City High	0	0	0
D0470	Arkansas City Middle Sch	0	0	0
D0470	C 4 Elem	0	0	0
D0470	Frances Willard Elem	0	0	0
D0470	I X L Elem	0	0	0
D0470	Jefferson Elem	<10	0	<10

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0470	Roosevelt Elem	0	0	0
D0471	Dexter Elem	0	0	0
D0471	Dexter High	0	0	0
D0473	Blue Ridge Elem	0	0	0
D0473	Chapman Elem	0	0	0
D0473	Chapman High	0	0	0
D0473	Chapman Middle School	0	0	0
D0473	Enterprise Elem	0	0	0
D0473	Rural Center Elem	0	0	0
D0474	Haviland Elem	0	0	0
D0475	Eisenhower Elem	<10	10	11
D0475	Fort Riley Elem	17	<10	24
D0475	Fort Riley Middle School	0	0	0
D0475	Franklin Elem	0	<10	<10
D0475	Grandview Elem	0	0	0
D0475	Junction City Middle School	<10	<10	<10
D0475	Junction City Sr High	<10	12	14
D0475	Lincoln Elem	0	0	0
D0475	LTG Richard J. Seitz Elementary	<10	<10	<10
D0475	Milford Elem	0	0	0
D0475	Morris Hill Elem	0	0	0
D0475	Sheridan Elem	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0475	Spring Valley Elementary	27	226	253
D0475	Ware Elem	0	0	0
D0475	Washington Elem	0	<10	<10
D0475	Westwood Elem	0	0	0
D0476	Copeland Elem	0	0	0
D0476	South Gray Jr High	0	0	0
D0477	Ingalls Elem	0	0	0
D0477	Ingalls High School/Junior High	0	0	0
D0479	Crest Elementary	<10	0	<10
D0479	Crest High	0	0	0
D0480	Cottonwood Elementary School	0	0	0
D0480	Eisenhower Middle School	<10	0	<10
D0480	Liberal Sr High	0	0	0
D0480	MacArthur Elementary School	0	0	0
D0480	Meadowlark Elementary School	0	0	0
D0480	Prairie View Elementary School	0	0	0
D0480	Seymour Rogers Middle School	0	0	0
D0480	Sunflower Elementary School	0	0	0
D0481	Hope Elem	0	0	0
D0481	Hope High	0	0	0
D0481	White City Elem	0	0	0
D0481	White City High	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0482	Dighton Elem	0	<10	<10
D0482	Dighton High	<10	0	<10
D0483	Kismet Elem	0	0	0
D0483	Plains Elem	<10	0	<10
D0483	Southwestern Heights Jr/Sr High	0	0	0
D0484	Fredonia Early Learning Center	0	0	0
D0484	Fredonia Jr./Sr. High School	0	0	0
D0484	Lincoln Elementary	0	0	0
D0487	Herington Elem	<10	<10	<10
D0487	Herington High	0	0	0
D0487	Herington Middle Sch	0	0	0
D0489	Hays High	0	0	0
D0489	Hays Middle School	0	0	0
D0489	Kathryn O'Loughlin McCarthy Elem	0	0	0
D0489	Lincoln Elem	0	0	0
D0489	Roosevelt Elem	0	<10	<10
D0489	Woodrow Wilson Elem	0	0	0
D0490	Blackmore Elementary	33	20	53
D0490	El Dorado High	<10	0	<10
D0490	El Dorado Middle	<10	0	<10
D0490	Grandview Elem	16	<10	24
D0490	Skelly Elementary School	34	14	48

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0491	Eudora Elementary School	109	119	228
D0491	Eudora High School	0	0	0
D0491	Eudora Middle School	<10	0	<10
D0492	Flinthills High School	0	0	0
D0492	Flinthills Intermediate School	0	0	0
D0492	Flinthills Middle School	0	0	0
D0492	Flinthills Primary School	0	0	0
D0493	Central Elem	0	0	0
D0493	Columbus High	0	0	0
D0493	Highland Elem	<10	13	17
D0493	Park Elem	<10	0	<10
D0494	Syracuse Elem	0	0	0
D0494	Syracuse High	0	0	0
D0495	Fort Larned Elementary School	0	0	0
D0495	Larned Middle School	0	0	0
D0495	Larned Sr High	0	0	0
D0496	Pawnee Heights	0	0	0
D0497	Billy Mills Middle School	18	<10	22
D0497	Broken Arrow Elem	0	<10	<10
D0497	Cordley Elem	<10	<10	<10
D0497	Deerfield Elem	<10	<10	<10
D0497	Hillcrest Elem	0	<10	<10

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0497	Kennedy Elem	0	0	0
D0497	Langston Hughes Elem	0	0	0
D0497	Lawrence Free State High	<10	0	<10
D0497	Lawrence High	0	0	0
D0497	Lawrence Liberty Memorial Central Mid School	0	0	0
D0497	Lawrence Southwest Middle School	0	0	0
D0497	Lawrence Virtual School	0	0	0
D0497	Lawrence West Middle School	0	0	0
D0497	New York Elem	<10	<10	<10
D0497	Pinckney Elem	21	17	38
D0497	Prairie Park Elem	<10	<10	<10
D0497	Quail Run Elementary	0	0	0
D0497	Schwegler Elem	0	<10	<10
D0497	Sunflower Elementary	<10	<10	<10
D0497	Sunset Hill Elem	0	0	0
D0497	Woodlawn Elem	0	<10	<10
D0498	Valley Heights Elem	0	0	0
D0498	Valley Heights Elementary - Waterville	<10	<10	<10
D0498	Valley Heights Jr/Sr High	0	0	0
D0499	Galena High	<10	0	<10
D0499	Galena Middle School	0	0	0
D0499	Liberty Elem	<10	38	42

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0499	Spring Grove Primary Center	<10	23	28
D0500	500 Reach	0	0	0
D0500	Argentine Middle	<10	0	<10
D0500	Arrowhead Middle	0	0	0
D0500	Banneker Elem	0	<10	<10
D0500	Bertram Caruthers Elem	0	0	0
D0500	Bridges/Wyandot Academy	<10	<10	<10
D0500	Carl B. Bruce Middle School	0	0	0
D0500	Central Middle	0	0	0
D0500	Chelsea Elem	0	0	0
D0500	Claude A Huyck Elem	0	0	0
D0500	D D Eisenhower Middle	0	0	0
D0500	Douglass Elem	<10	0	<10
D0500	Emerson Elem	0	0	0
D0500	Eugene Ware Elem	0	0	0
D0500	F L Schlagle High	0	0	0
D0500	Fairfax Learning Center	<10	0	<10
D0500	Frances Willard Elem	0	0	0
D0500	Frank Rushton Elem	0	0	0
D0500	Gloria Willis Middle School	0	0	0
D0500	Grant Elem	0	0	0
D0500	Hazel Grove Elem	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0500	J C Harmon High	0	0	0
D0500	John F Kennedy Elem	0	0	0
D0500	John Fiske Elem	0	0	0
D0500	Lindbergh Elem	<10	0	<10
D0500	Lowell Brune Elementary School	<10	<10	<10
D0500	M E Pearson Elem	0	0	0
D0500	Mark Twain Elem	0	0	0
D0500	McKinley Elementary School	0	0	0
D0500	New Stanley Elem	0	0	0
D0500	Noble Prentis Elem	0	0	0
D0500	Quindaro Elem	0	0	0
D0500	Rosedale Middle	0	0	0
D0500	Silver City Elem	0	0	0
D0500	Stony Point North	<10	<10	<10
D0500	Stony Point South	0	0	0
D0500	Sumner Academy of Arts & Science	0	0	0
D0500	Thomas A Edison Elem	14	0	14
D0500	Washington High	0	0	0
D0500	Welborn Elem	0	0	0
D0500	West Park Elementary School	<10	0	<10
D0500	Whittier Elem	0	0	0
D0500	Wyandotte High	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0501	Avondale Academy	0	0	0
D0501	Capital City	<10	0	<10
D0501	Chase Middle School	0	0	0
D0501	Eisenhower Middle School	0	0	0
D0501	Highland Park Central	0	<10	<10
D0501	Highland Park High	0	0	0
D0501	Hope Street Charter Academy	0	0	0
D0501	Jardine Elementary	<10	58	63
D0501	Jardine Middle School	0	0	0
D0501	Landon Middle School	0	<10	<10
D0501	Lowman Hill Elem	0	<10	<10
D0501	Marjorie French Middle School	<10	<10	<10
D0501	McCarter Elem	<10	<10	<10
D0501	McClure Elem	<10	0	<10
D0501	McEachron Elem	0	<10	<10
D0501	Meadows Elementary	<10	13	14
D0501	Quincy Elem	0	<10	<10
D0501	Randolph Elem	<10	28	31
D0501	Robinson Middle School	0	<10	<10
D0501	Ross Elementary	0	13	13
D0501	Scott Dual Language Magnet	<10	0	<10
D0501	State Street Elem	<10	68	71

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0501	Stout Elem	<10	<10	<10
D0501	Topeka High	<10	0	<10
D0501	Topeka West High	0	0	0
D0501	Whitson Elem	0	<10	<10
D0501	Williams Science and Fine Arts Magnet School	<10	12	13
D0502	Lewis Elem	0	0	0
D0503	Garfield School	<10	10	12
D0503	Guthridge School	<10	0	<10
D0503	Lincoln School	0	0	0
D0503	Parsons Middle School	0	0	0
D0503	Parsons Sr High	<10	0	<10
D0504	Oswego Junior-Senior High School	0	0	0
D0504	Oswego Neosho Hgts Elem	<10	<10	<10
D0504	Service Valley Charter Academy	0	0	0
D0505	Chetopa Elem	0	0	0
D0505	Chetopa High	0	0	0
D0505	St. Paul Elementary School	0	0	0
D0505	St. Paul High School	0	0	0
D0505	St. Paul Middle School	0	0	0
D0506	Altamont Elem	0	0	0
D0506	Bartlett Elem	<10	0	<10
D0506	Edna Elem	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0506	Labette County High School	0	0	0
D0506	Meadowview Elem	<10	15	19
D0506	Mound Valley Elem	0	0	0
D0507	Satanta Elem	0	0	0
D0507	Satanta Jr-Sr High	0	0	0
D0508	Baxter Springs High	0	0	0
D0508	Central Elem	0	0	0
D0508	Lincoln Elem	0	0	0
D0509	South Haven Elem	0	0	0
D0509	South Haven High	0	0	0
D0511	Attica High	0	0	0
D0511	Puls Elem	0	0	0
D0512	Apache Elem	10	<10	19
D0512	Belinder Elem	0	0	0
D0512	Bluejacket-Flint	14	109	123
D0512	Briarwood Elem	<10	14	18
D0512	Broken Arrow Elem	10	<10	15
D0512	Brookridge Elem	<10	<10	13
D0512	Brookwood Elem	0	0	0
D0512	Christa McAuliffe Elem	0	0	0
D0512	Comanche Elem	0	0	0
D0512	Corinth Elem	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0512	Crestview Elem	22	43	65
D0512	East Antioch Elem	0	0	0
D0512	Highlands Elem	0	63	63
D0512	Hocker Grove Middle	<10	<10	<10
D0512	Indian Hills Middle	0	0	0
D0512	Indian Woods Middle	0	0	0
D0512	John Diemer Elem	<10	53	58
D0512	Lenexa Hills Elementary	0	0	0
D0512	Merriam Park Elementary	26	18	44
D0512	Mill Creek Elem	0	0	0
D0512	Nieman Elem	<10	<10	<10
D0512	Oak Park-Carpenter Elementary	0	0	0
D0512	Overland Park Elem	11	18	29
D0512	Pawnee Elem	<10	19	21
D0512	Prairie Elem	0	0	0
D0512	Ray Marsh Elem	0	0	0
D0512	Rhein Benninghoven Elem	0	<10	<10
D0512	Rising Star Elem	<10	26	32
D0512	Roesland Elem	0	0	0
D0512	Rosehill Elem	0	0	0
D0512	Rushton Elem	0	<10	<10
D0512	Santa Fe Trail Elem	37	203	240

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

D0512	Shawanoe Elem	0	0	0
D0512	Shawnee Mission East High	0	0	0
D0512	Shawnee Mission North High	<10	<10	13
D0512	Shawnee Mission Northwest High	<10	20	22
D0512	Shawnee Mission South High	0	0	0
D0512	Shawnee Mission West High	<10	0	<10
D0512	Sunflower Elem	<10	18	19
D0512	Tomahawk Elem	<10	<10	<10
D0512	Trailridge Middle	<10	<10	<10
D0512	Trailwood Elem	0	0	0
D0512	Westridge Middle	0	0	0
D0512	Westwood View Elem	0	0	0
S0507	St. Hosp. Training Center Parsons	0	0	0
S0521	Lawrence Gardner High School	0	0	0
S0604	School for Blind Elementary	0	0	0
S0604	School for Blind High	0	0	0
S0610	School for Deaf Elementary	<10	0	<10
S0610	School for Deaf High	0	0	0
X0758	Heartspring	0	0	0
Z0006	Brookridge Day School	0	0	0
Z0009	Independence Bible Elem	0	0	0
Z0009	Independence Bible High	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

Z0026	Bethany Lutheran School	0	0	0
Z0026	Faith Lutheran School	0	0	0
Z0026	Good Shepherd Lutheran Elem	0	0	0
Z0026	Holy Cross Lutheran	0	0	0
Z0026	Hope Lutheran	0	0	0
Z0026	Linn Lutheran	0	0	0
Z0026	St Johns Lutheran Elem	0	0	0
Z0026	St Paul Lutheran Elem [Leavenworth]	0 *	0 *	0 *
Z0026	Topeka Lutheran Elem	0	0	0
Z0026	Trinity Lutheran Elem [Atchison]	0	0	0
Z0026	Trinity Lutheran Elem [Winfield]	0	0	0
Z0026	Zion Lutheran Elem	0	0	0
Z0028	Holy Family School	0	0	0
Z0028	Sacred Heart Catholic [Dodge City]	0	0	0
Z0028	Sacred Heart Elem [Ness City]	0	0	0
Z0028	St Dominic Elem	0	0	0
Z0028	St Joseph Elem	0	0	0
Z0028	St Marys Elem	0	0	0
Z0029	Ascension School	0	0	0
Z0029	Bishop Miege High	0	0	0
Z0029	Bishop Ward High School	0	0	0
Z0029	Christ The King [Kansas City]	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

Z0029	Christ The King [Topeka]	0	0	0
Z0029	Corpus Christi Catholic School	0	0	0
Z0029	Cure Of Ars Elem	0	0	0
Z0029	Good Shepherd School	0	0	0
Z0029	Hayden High	0	0	0
Z0029	Holy Cross Catholic	0	0	0
Z0029	Holy Family Catholic School	0	0	0
Z0029	Holy Name	0	0	0
Z0029	Holy Rosary - WEA Catholic School	0	0	0
Z0029	Holy Spirit Catholic	0	0	0
Z0029	Holy Trinity Elem [Lenexa]	0	0	0
Z0029	Holy Trinity Elem [Paola]	0	0	0
Z0029	John Paul II Catholic School	0	0	0
Z0029	Mater Dei Catholic School	0	0	0
Z0029	Maur Hill - Mount Academy	0	0	0
Z0029	Most Pure Heart Mary Elem	0	0	0
Z0029	Nativity Parish School	0	0	0
Z0029	Our Lady Of Unity	0	0	0
Z0029	Prince Of Peace	0	0	0
Z0029	Resurrection Catholic School at the Cathedral	0	0	0
Z0029	Sacred Heart Elem	0	0	0
Z0029	Sacred Heart Elem [Emporia]	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

Z0029	Sacred Heart Elem [Ottawa]	0	0	0
Z0029	St Agnes Elem	0	0	0
Z0029	St Ann Elem	0	0	0
Z0029	St Gregory Elem	0	0	0
Z0029	St Matthew Elem	0	0	0
Z0029	St Michael the Archangel Catholic School	0	0	0
Z0029	St Thomas Aquinas High School	0	0	0
Z0029	St. Benedict Catholic School	0	0	0
Z0029	St. James Academy	0	0	0
Z0029	St. John Catholic School	0	0	0
Z0029	St. Joseph Elementary - Shawnee	0	0	0
Z0029	St. Patrick Elementary	0	0	0
Z0029	St. Paul Elementary	0	0	0
Z0029	St. Rose Philippine Duchesne	0	0	0
Z0029	Sts Peter And Paul Elem	0	0	0
Z0029	Xavier Elem	0	0	0
Z0030	Holy Family Elementary [Hays]	0	0	0
Z0030	Manhattan Catholic Schools	0	0	0
Z0030	Sacred Heart Elem	0	0	0
Z0030	Sacred Heart Elem [Plainville]	0	0	0
Z0030	Sacred Heart High [Salina]	0	0	0
Z0030	St Andrews Elem	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

Z0030	St John Elem [Beloit]	0	0	0
Z0030	St John Elem [Hanover]	0	0	0
Z0030	St John High	0	0	0
Z0030	St Joseph Elem [Oakley]	0	0	0
Z0030	St Marys Elem [Ellis]	0	0	0
Z0030	St Marys Elem [Salina]	0	0	0
Z0030	St. Xavier Catholic	0	0	0
Z0030	Thomas More Prep-Marian	0	0	0
Z0030	Tipton High	0	0	0
Z0031	All Saints Catholic Elem	0	0	0
Z0031	Bishop Carroll Catholic High	0	0	0
Z0031	Blessed Sacrament Catholic	0	0	0
Z0031	Christ The King Catholic Elem	0	0	0
Z0031	Holy Cross Catholic Elem	0	0	0
Z0031	Holy Name Catholic Elem [Coffeyville]	0	0	0
Z0031	Holy Name Catholic Elem [Winfield]	0	0	0
Z0031	Holy Savior Catholic Academy	0	0	0
Z0031	Holy Spirit Catholic School	0	0	0
Z0031	Kapaun Mt Carmel Catholic High	0	0	0
Z0031	Magdalen Catholic School	0	0	0
Z0031	Resurrection Catholic School	0	0	0
Z0031	Sacred Heart Catholic Elem [Arkansas City]	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

Z0031	St Andrew Catholic Elem	0	0	0
Z0031	St Anne Catholic Elementary	0	0	0
Z0031	St Cecilia Elem	0	0	0
Z0031	St Elizabeth Ann Seton Catholic Elem	0	0	0
Z0031	St Francis Of Assisi Elem	0	0	0
Z0031	St James Catholic Elem	0	0	0
Z0031	St Joseph Catholic (Wichita)	0	0	0
Z0031	St Joseph Catholic Elem (Ost)	0	0	0
Z0031	St Joseph Elem [Conway Springs]	0	0	0
Z0031	St Joseph Elem [McPherson]	0	0	0
Z0031	St Jude Catholic Elem	0	0	0
Z0031	St Margaret Mary Elem	0	0	0
Z0031	St Mary Catholic Elem [Newton]	0	0	0
Z0031	St Mary Elem [Fort Scott]	0	0	0
Z0031	St Mary Parish Catholic Elem [Derby]	0	0	0
Z0031	St Mary's Colgan High	0	0	0
Z0031	St Mary's Elem [Pittsburg]	0	0	0
Z0031	St Patrick Catholic Elem	0	0	0
Z0031	St Patrick Catholic Elem [Chanute]	0	0	0
Z0031	St Patrick Catholic Elem [Kingman]	0	0	0
Z0031	St Patrick Catholic Elem [Wichita]	0	0	0
Z0031	St Peter Catholic Elem [Schulte]	0	0	0

ESI Incidents by Building: School Year 2020–21

APPENDIX TO THE 2022 EMERGENCY SAFETY INTERVENTION DATA REPORT

(10) The information reported under K.A.R. 91-42-7(b)(1)–(3) reported by school to the extent possible. The following information applies to all data reported by school:

- If a building reported that the number of students on which an emergency safety intervention was used was between one and nine students, then that data will be suppressed and <10 will appear next to the name of the building in the table below.

The number of incidents in which emergency safety interventions were used on students who have an IEP, reported by the school to the extent possible.

Z0031	St Thomas Aquinas Elem	0	0	0
Z0031	St. Catherine of Siena Catholic School	0	0	0
Z0031	Trinity Catholic High	0	0	0
Z0032	Lakemary Center Paola	1071	553	1624
Z0058	Kickapoo Nation High School	0	0	0
Z0058	Kickapoo Nation School K-8	0	0	0
Z0060	Accelerated Elem	0	0	0
Z0060	Accelerated High	0	0	0
Z0064	Annoor Islamic School	0	0	0
Z0066	Life Preparatory Academy	0	0	0
Z0067	Wellington Christian Academy	0	0	0
Z0070	Branches Academy	0	0	0